GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services - MA&UD Department – Sri M. Yedukondalu, Assistant Engineer, PH Subdivision, Repalle Municipality, Guntur District - Allegations of irregularities during the execution of works sanctioned under SCSP/TSP in Repalle Municipality of Guntur district - Departmental Proceedings under Rule-20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 - Article of charges - Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.II) DEPARTMENT

G.O.Rt.No.475 **Dated:12.07.2022.**

Read:-

From the ENC(PH), A.P., Tadepalli, Letter.N.35036/Vig.II/VR.NO 52/CS2/2021, dated.09.06.2022.

-oOo-

O R D E R:

It is proposed to hold an enquiry against Sri M. Yedukondalu, Assistant Engineer, PH Subdivision, Repalle Municipality, Guntur District in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991.

2. The statement of articles of charges and statement of imputations of misconduct and misbehaviour in respect of which the inquiry is proposed to be held is set out in the enclosed Annexures I&II. A list of documents by which and a list of witnesses by whom, the articles of charges proposed to be sustained are also enclosed in Annexures III & IV.

3. Sri M. Yedukondalu, Assistant Engineer, PH Subdivision, Repalle Municipality, Guntur District, is directed to submit his written statement of defense within 15 days from the date of receipt of this order.

4. Sri M. Yedukondalu, Assistant Engineer, PH Subdivision, Repalle Municipality, Guntur District, is informed that an inquiry will be held only in respect of those articles of charges as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri M. Yedukondalu, Assistant Engineer, PH Subdivision, Repalle Municipality, Guntur District, is further informed that if he does not submit his written statement of defence on or before the date specified in para 3 above, further action will be processed based on the material available.

6. Attention of Sri M. Yedukondalu, Assistant Engineer, PH Subdivision, Repalle Municipality, Guntur District, is invited to Rule-24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior

(P.T.O)

authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings it will be presumed that above said Sri M. Yedukondalu, Assistant Engineer, PH Subdivision, Repalle Municipality, Guntur District, is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

7. The receipt of the G.O., shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Y. SRILAKSHMI
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
Sri M. Yedukondalu, Assistant Engineer, PH Subdivision, Repalle Municipality,
Guntur District - **through** the ENC(Ph), A.P.,Tadepalli.
The Engineer-in-Chief (Public Health), A.P., Tadepalli
(With request to serve & Return served copy to Government Immediately)

Copy to:
The General Administration (V&E) Department, A.P., Vijayawada.
The Secretary to A.P.V.C., 5th Building, A.P. Secretariat, Velagapudi.
The Commissioner, Repalle Municipality, Guntur District.
SF / SC.

//FORWARDED BY ORDER //

G. Srinivas
SECTION OFFICER.